

: HB - AC500 (가 ,
:

HB - AC500
)

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

A/S

1.

HB - AC500
35m³/min 3 . PM2.5 165m²(50) , HEPA13,
4 가 3

2.

- + HEPA13 + 3
- PM2.5 (,)
- / / 3
- 24 가 가 ()
- 4 ()
- LED (,)
- — / 가
- 2 : / (,)
- (,)

3.

	AC 220V 50/60Hz
	480W (620W,)
	35 m³/min
	+ HEPA13 +
	165m² (50)
	38~52 dB(A) ()
	3 / HEPA 12 ()
	42kg (,)
	480 x 480 x 1120 mm (W x D x H)
	/ 2
	[] []
/	(, 가)

4.

[] KC (,)	[]
[] (EMC) (,)	[]

5.

1. 가 , 30cm
2. , HEPA13 , 가
3. 가 AC 220V 50/60Hz
4. / /
5. PM2.5
6. LED가 . (3 , HEPA 12 ,)

7.

6.

CAUTION:

[] 가 ,

CAUTION:

 가 . 가 .

CAUTION:

 , .

CAUTION:

30cm . 가 .

CAUTION:

 가 , .

[] CAUTION:

 . () 가 ,

CAUTION:

 . .

CAUTION:

24 가 가 , 가 .

7.

A/S

2 , 가 .
5 . A/S , 가 ,
 . []
 가 .